ELSEVIER

Journal of Organometallic Chemistry 662 (2002) 194

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 662

Anzai, J.-i., 9
Aresta, M., 112

Bellassoued, M., 172
Ben Ammar, H., 63
Bolm, C., 23
Brendler, E., 14

Calderazzo, F., 137
Cardin, C.J., 188
Chatenet, D., 83
Claver, C., 188
Clentsmith, G.K.B., 192
Coles, M.P., 178
Coles, S.J., 98
Comoy, C., 83
Costello, J.F., 98
Coutrot, P., 83

Davies, D.L., 43
Dixneuf, P.H., 63

Englert, U., 150

Facchin, G., 70
Falaschi, S., 137
Fawcett, J., 43
Forniés-Cámer, J., 188

Galindo, A., 59
Garratt, S.A., 43
Godoy, F., 130
Grison, C., 83
Grugier, J., 172
Grundy, J., 178
Gutiérrez-Puebla, E., 59

Herzog, U., 14
Hitchcock, P.B., 178, 192, 193
Hoffmann, D., 1
Hu, Q.-M., 51
Hugo Klahn, A., 130
Hursthouse, M.B., 98

Jutzi, P., 34

Kaddachi, M.T., 63
Kashiwagi, Y., 9
Keim, W., 150
Kikuchi, C., 9
Killat, S., 150
Knopf, C., 14
Krempner, C., 1
Kurashima, F., 9

Lang, H., 14
Le Nôtre, J., 63
Lensen, N., 172
Lin, Z., 120
Liu, J.-T., 51
Luo, Y., 144

Marchetti, F., 137
Masdeu-Bultó, A.M., 188
Mecking, S., 150
Michelin, R.A., 70
Mikami, K., 77
Minas da Piedade, M.E., 105
Monge, Á., 59
Montilla, F., 59
Mozzon, M., 70

Neumann, B., 34
Ng, S.M., 120
Nixon, J.F., 192, 193
Nobile, C.F., 150

Oelckers, B., 130
Ohba, S., 77
Ohmura, H., 77

Pampaloni, G., 137

Quaranta, E., 112

Raabe, G., 23
Reinke, H., 1
Rheinwald, G., 14
Roewer, G., 14
Russell, D.R., 43

Sakarya, N., 192, 193
Salem, M., 63
Schröder, D.L., 150
Shen, Q., 144
Smith, S., 98
Song, L.-C., 51
Stammler, A., 34
Stammler, H.-G., 34
Sun, J., 144
Suranna, G.P., 150

Tassan, A., 70
Theil, M., 34

Veiros, L.F., 105

Wang, R., 150
Weng, L., 144
Wenz, K., 23

Yao, Y., 144

Zhao, C., 120

Elsevier Science B.V.
PII: S0022-328X(02)02008-9

ELSEVIER

Journal of Organometallic Chemistry 662 (2002) 195–198

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 662

Aldimines
Direct synthesis of unsaturated β-amino acids, 172
Alkene isomerisation
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
Alkylammonium tetraphenylborates
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[HPd(dppe)_2][BPh_4]$, 112
Alkylidenediphosphorylation
Synthesis of P-chiral enephosphonic acid derivatives, 83
Allyl ether in catalysis
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
Allyl transfer
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[HPd(dppe)_2][BPh_4]$, 112
Aluminium
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
Amidinate
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
Amidinate ligands
Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ε-caprolactone, 144
Amidine
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178

Bidentate ligands
Theoretical studies on the β-hydrogen elimination reactions of palladium and platinum alkoxide complexes containing bidentate ligands, 120
Bimetallic
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
Bipyridyl
Carbonyl derivatives of iron(0) from the reaction of $FeR_2(bipy)_2$ (R = Me, Et) with carbon monoxide, 137
Bis-oxazoline-ruthenium complexes
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
Bisoxazolines
Cp*rhodium and iridium complexes with bisoxazolines: synthesis, fluxionality and applications as asymmetric catalysts for Diels–Alder reactions, 43
Bond dissociation enthalpy
On the transferability of Ir–I bond enthalpies between $[Ir(\mu\text{-}S^tBu)(I)_2(CO)_2]_2$ and *trans*-$[Ir(X)(I)_2(CO)(PPh_3)_2]$ (X = F, Cl, Br, I) complexes, 105

ε-Caprolactone
Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ε-caprolactone, 144
Carbonyl
Carbonyl derivatives of iron(0) from the reaction of $FeR_2(bipy)_2$ (R = Me, Et) with carbon monoxide, 137
Chiral enephosphorylated derivatives
Synthesis of P-chiral enephosphonic acid derivatives, 83
Chlorosilane
Interactions of chloromethyldisilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of $[TDAE]^{\bullet+}$ $[Si_3Me_2Cl_7]^-$, 14
Chromium
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*-$Mo(CO)_3(dppb)(CH_3CN)$, 51
Claisen rearrangement
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
Complexes
Carbonyl derivatives of iron(0) from the reaction of $FeR_2(bipy)_2$ (R = Me, Et) with carbon monoxide, 137
Cp*iridium complexes
Cp*rhodium and iridium complexes with bisoxazolines: synthesis, fluxionality and applications as asymmetric catalysts for Diels–Alder reactions, 43
Cp*rhodium complexes
Cp*rhodium and iridium complexes with bisoxazolines: synthesis, fluxionality and applications as asymmetric catalysts for Diels–Alder reactions, 43
Cp* substituent
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
Crystal structure
Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ε-caprolactone, 144
Crystal structures
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*-$Mo(CO)_3(dppb)(CH_3CN)$, 51
Synthesis and molecular structure of the nitride $(L_{OEt})Mo(N)Cl_2$ [$L_{OEt} = (\eta\text{-}C_5H_5)Co\{P(O)(OEt)_2\}_3$], 59
Cyclopalladation
Regioselective palladation of 2-oxazolinyl-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23

Elsevier Science B.V.
PII: S0022-328X(02)02006-5

Decamethylsilicocene
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
Density functional theory
On the transferability of Ir–I bond enthalpies between [Ir(μ-S^{t}Bu)(I)$_2$(CO)$_2$]$_2$ and *trans*-[Ir(X)(I)$_2$(CO)(PPh$_3$)$_2$] (X = F, Cl, Br, I) complexes, 105
Dihydroxydisilanes
Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatitanacyclopentanes, 1
Diphosphorylated carbanions
Synthesis of P-chiral enephosphonic acid derivatives, 83
Disilane
Interactions of chloromethyldisilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of [TDAE]$^{\bullet+}$ [Si$_3$Me$_2$Cl$_7$]$^-$, 14
Disorder
Synthesis and molecular structure of the nitride (L_{OEt})Mo(N)Cl$_2$ [L_{OEt} = (η-C$_5$H$_5$)Co{P(O)(OEt)$_2$}$_3$], 59
Dithiolato metalloligands
New half-sandwich heterobimetallic CpMPt (M = Rh, Ir) dithiolato bridged complexes. X-ray structure of [(PPh$_3$)$_2$Pt(μ-S(CH$_2$)$_2$S)RhCl(η^5-C$_5$H$_5$)]BF$_4$, 188
dppb Ligand
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*-Mo(CO)$_3$(dppb)(CH$_3$CN), 51

Electrocatalytic reduction
Electrocatalytic reduction of aldehydes and ketones on nickel(II) tetraazamacrocyclic complex-modified graphite felt electrode, 9
Epoxy alcohols
Regioselective, stereospecific, and chemoselective fluorination of epoxy alcohols: development of fluorinating hybrid reagents, associated with Lewis acid metal fluoride/ammonium hydrogen fluoride, 77
Ethylene oligomerisation
Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α-diphenylphosphino-ketoimines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150

Fluorinating hybrid reagents
Regioselective, stereospecific, and chemoselective fluorination of epoxy alcohols: development of fluorinating hybrid reagents, associated with Lewis acid metal fluoride/ammonium hydrogen fluoride, 77
[70]Fullerene
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*-Mo(CO)$_3$(dppb)(CH$_3$CN), 51
Functionalized isocyanide
Synthesis, coordination and reactivity of 2-(trimethylsiloxymethyl)phenyl- and 2-(hydroxymethyl)phenyl isocyanides, 70

Heterobimetallic complexes
New half-sandwich heterobimetallic CpMPt (M = Rh, Ir) dithiolato bridged complexes. X-ray structure of [(PPh$_3$)$_2$Pt(μ-S(CH$_2$)$_2$S)RhCl(η^5-C$_5$H$_5$)]BF$_4$, 188
Hexasilanes
Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatitanacyclopentanes, 1
Horner reaction
Synthesis of P-chiral enephosphonic acid derivatives, 83

β-Hydrogen elimination
Theoretical studies on the β-hydrogen elimination reactions of palladium and platinum alkoxide complexes containing bidentate ligands, 120
Hypercoordination
Interactions of chloromethyldisilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of [TDAE]$^{\bullet+}$ [Si$_3$Me$_2$Cl$_7$]$^-$, 14

Imidazolinium salt
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
Iminium tetraphenylborates
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species [HPd(dppe)$_2$][BPh$_4$], 112
Insertion reactions
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
π-Interaction
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
Iridium
New half-sandwich heterobimetallic CpMPt (M = Rh, Ir) dithiolato bridged complexes. X-ray structure of [(PPh$_3$)$_2$Pt(μ-S(CH$_2$)$_2$S)RhCl(η^5-C$_5$H$_5$)]BF$_4$, 188
Iridium complexes
On the transferability of Ir–I bond enthalpies between [Ir(μ-S^{t}Bu)(I)$_2$(CO)$_2$]$_2$ and *trans*-[Ir(X)(I)$_2$(CO)(PPh$_3$)$_2$] (X = F, Cl, Br, I) complexes, 105
Iron
Carbonyl derivatives of iron(0) from the reaction of FeR$_2$(bipy)$_2$ (R = Me, Et) with carbon monoxide, 137

Ligands
Reactions of the tetramethylfulvene ligand coordinated to rhenium with hydrohalic acids and halogens: synthesis of dicarbonyl complexes with a 'four-legged piano-stool' structure containing mixed-halide ligands, 130
Linked
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
Lithium enolates
Direct synthesis of unsaturated β-amino acids, 172

Mediator
Electrocatalytic reduction of aldehydes and ketones on nickel(II) tetraazamacrocyclic complex-modified graphite felt electrode, 9
Methyl complexes
Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α-diphenylphosphino-ketoimines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150
Mixed-halide
Reactions of the tetramethylfulvene ligand coordinated to rhenium with hydrohalic acids and halogens: synthesis of dicarbonyl complexes with a 'four-legged piano-stool' structure containing mixed-halide ligands, 130
Modified electrode
Electrocatalytic reduction of aldehydes and ketones on nickel(II) tetraazamacrocyclic complex-modified graphite felt electrode, 9
Molybdenum
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*-Mo(CO)$_3$(dppb)(CH$_3$CN), 51
Synthesis and molecular structure of the nitride (L_{OEt})Mo(N)Cl$_2$ [L_{OEt} = (η-C$_5$H$_5$)Co{P(O)(OEt)$_2$}$_3$], 59

Mono-*O*-phenylation
A structural and mechanistic investigation of the mono-*O*-phenylation of diols with $BiPh_3(OAc)_2$, 98

N-Heterocyclic carbene complexes
Synthesis, coordination and reactivity of 2-(trimethylsiloxymethyl)phenyl- and 2-(hydroxymethyl)phenyl isocyanides, 70
Nickel
Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α-diphenylphosphino-ketoimines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150
Ni(II) tetraazamacrocyclic complexes
Electrocatalytic reduction of aldehydes and ketones on nickel(II) tetraazamacrocyclic complex-modified graphite felt electrode, 9
Nitride
Synthesis and molecular structure of the nitride $(L_{OEt})Mo(N)Cl_2$ [$L_{OEt} = (\eta\text{-}C_5H_5)Co\{P(O)(OEt)_2\}_3$], 59

Organobismuth
A structural and mechanistic investigation of the mono-*O*-phenylation of diols with $BiPh_3(OAc)_2$, 98
Organolanthanides
Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ε-caprolactone, 144

Palladacycles
Regioselective palladation of 2-oxazolinyl-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23
Palladium
Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α-diphenylphosphino-ketoimines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150
Palladium and platinum alkoxide complexes
Theoretical studies on the β-hydrogen elimination reactions of palladium and platinum alkoxide complexes containing bidentate ligands, 120
Paracyclophanes
Regioselective palladation of 2-oxazolinyl-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23
Pd–allyl complexes
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[HPd(dppe)_2][BPh_4]$, 112
Pd–hydrido complexes
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[HPd(dppe)_2][BPh_4]$, 112
Phosphino ketoimines
Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α-diphenylphosphino-ketoimines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150
Planar chirality
Regioselective palladation of 2-oxazolinyl-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23
Platinum
New half-sandwich heterobimetallic CpMPt (M = Rh, Ir) dithiolato bridged complexes. X-ray structure of $[(PPh_3)_2Pt(\mu\text{-}S(CH_2)_2S)RhCl(\eta^5\text{-}C_5H_5)]BF_4$, 188

^{31}P-NMR study
Synthesis of P-chiral enephosphonic acid derivatives, 83
Polymerization
Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ε-caprolactone, 144
Propellers
A structural and mechanistic investigation of the mono-*O*-phenylation of diols with $BiPh_3(OAc)_2$, 98
Proton transfer
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[HPd(dppe)_2][BPh_4]$, 112

Regioselective fluorination
Regioselective, stereospecific, and chemoselective fluorination of epoxy alcohols: development of fluorinating hybrid reagents, associated with Lewis acid metal fluoride/ammonium hydrogen fluoride, 77
Regioselective palladation
Regioselective palladation of 2-oxazolinyl-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23
Rhenium
Reactions of the tetramethylfulvene ligand coordinated to rhenium with hydrohalic acids and halogens: synthesis of dicarbonyl complexes with a 'four-legged piano-stool' structure containing mixed-halide ligands, 130
Rhodium
New half-sandwich heterobimetallic CpMPt (M = Rh, Ir) dithiolato bridged complexes. X-ray structure of $[(PPh_3)_2Pt(\mu\text{-}S(CH_2)_2S)RhCl(\eta^5\text{-}C_5H_5)]BF_4$, 188

Silicon
Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatitanacyclopentanes, 1
Interactions of chloromethyldisilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of $[TDAE]^{\bullet+}[Si_3Me_2Cl_7]^-$, 14
Silylated
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
Silyl-transition metal complexes
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
Structures
Carbonyl derivatives of iron(0) from the reaction of $FeR_2(bipy)_2$ (R = Me, Et) with carbon monoxide, 137

TDAE
Interactions of chloromethyldisilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of $[TDAE]^{\bullet+}[Si_3Me_2Cl_7]^-$, 14
Tetramethylfulvene
Reactions of the tetramethylfulvene ligand coordinated to rhenium with hydrohalic acids and halogens: synthesis of dicarbonyl complexes with a 'four-legged piano-stool' structure containing mixed-halide ligands, 130
Thermochemistry
On the transferability of Ir–I bond enthalpies between $[Ir(\mu\text{-}S^tBu)(I)_2(CO)_2]_2$ and *trans*-$[Ir(X)(I)_2(CO)(PPh_3)_2]$ (X = F, Cl, Br, I) complexes, 105
Titanacycles
Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatitanacyclopentanes, 1

Titanium
Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatitanacyclopentanes, 1
Transition metal complexes
Synthesis, coordination and reactivity of 2-(trimethylsiloxymethyl)phenyl- and 2-(hydroxymethyl)phenyl isocyanides, 70
Trimethylsilyl butenoates
Direct synthesis of unsaturated β-amino acids, 172
Tungsten
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*-$Mo(CO)_3(dppb)(CH_3CN)$, 51
Zinc bromide
Direct synthesis of unsaturated β-amino acids, 172